

MILL-MAX MFG.CORP.

190 PINE HOLLOW ROAD P.O.BOX 300 OYSTER BAY, NY 11771-0300 PHONE (516) 922-6000 FAX (516) 922-9253

To our Customers,

To serve our Customers better we have developed this Company Profile. Please accept this as our self-survey. We believe this will satisfy your information needs.

The information contained in the Profile has been developed from hundreds of surveys and it is provided in the ISO9001 format. All the common questions are answered. The information is updated periodically and the latest edition is always available on our website.

If you have any questions regarding the content of this document, please contact me at (516) 922-6000 extension 215. Thank you for your interest in Mill-Max.

Sincerely,

Christopher Galasso

Director of Quality Assurance

Mill-Max Mfg.Corp.



Company Name: Mill-Max Mfg. Corp.

Address: 190 Pine Hollow Road

Oyster Bay, New York 11771

United States

Billing Address: same as above

Telephone: (516) 922-6000 Fax: (516) 922-9253

Web Site: www.mill-max.com

Organizational Information and Key Personnel

Chairman of the Board: Roger L. Bahnik Chief Executive Officer: Claude Bahnik

President: James W. Litke

Vice President of Manufacturing: Brad Kuczinski

Director of Quality Assurance: Christopher Galasso (cgalasso@mill-max.com)

Contact Information:

Technical Services: techsupport@mill-max.com

Quality Assurance: qa@mill-max.com

Sales: <u>sales@mill-max.com</u>

Accounting: accounting@mill-max.com

Remit To Address: P.O. Box 300

Oyster Bay, NY 11771

Accts. Receivable Contact: Eileen Lai

516-922-6000 x221 <u>elai@mill-max.com</u>

Credit Terms: Net 30 Days (pending credit review)



General information:

Description: Mill-Max is a private corporation, incorporated under the laws of the State of NY.

Type of Business: Manufacturer

Established: 1971, Over 50 years of continuous manufacturing.

Tax Identification Number: 112246212

Currency: US Dollars

Freight Terms: FOB Origin

DUNS No: 06-593-9902, rating: 4A1

NAICS No.: 335931, Electrical Equipment, Appliance, and Component Manufacturing.

S/C: 3643, Current carrying wiring device.

Military Cage Code: 3N087

FSCM #: None - see Military Cage Code above

ITAR Registration: Mill-max is registered with the U.S. Department of State as a manufacturer.

The expiration date is 5/31 of the following year. The registration number is

not public.

NAFTA classification or Schedule B number: 8536.90.4000, Article Description; Electrical Apparatus for making connections, terminals, electrical splices, and electrical couplings.

ECCN: Products we manufacture which are subject to Export Controls are **EAR 99**. Products we manufacture which can be exported without an Export License are **EAR 99-NLR**.

Principle Product: Electrical Interconnect Components

Type of Operations: Precision high speed turning, stamping, electroplating, injection

molding, contact assembly, socket assembly, and packaging.

Factory and Capacities: All manufacturing is done on this site. 3 Shifts, non-union labor force.

Square footage: 150,000 sq.ft.

Number of Employees: 180 Manufacturing (120) Engineering (12) Quality Control (24)

Quality Assurance (6) Administration (18)



General description of our QOS (Quality Operating System):

Mill-Max's QOS is based on ISO-9001:2015. The Calibration System requirements adopted by Mill-Max are MIL-C-45208.

A copy of our Quality Assurance Manual is available on our website

The remainder of this company profile is presented in the style of the ISO9001 series Supplier Survey with additional questions we typically receive from our customers. Some additional comments are provided below the question, where applicable.



| 4.1 | MANA | AGEMENT RESPONSIBILITY | YES | NO | N/A |
|-----|------|---|-------------|----|-----|
| | A. | Does Mill-Max have a documented Quality Policy? Please see our QA Manual at www.mill-max.com | | | |
| | В. | Does Mill-Max have an organization chart or equivalent reflecting current company operations? Organization charts and other documents are available on site. | | | |
| | C. | Are the responsibilities and authorities of those who manage, perform and verify work affecting Quality known by all relevant personnel? | | | |
| | D. | Are requirements identified and are adequate resources provided, including the assignment of trained personnel for management, labor, inspection, and auditing? | | | |
| | E. | Is a Management Representative designated in the Quality Manual and is the representative's responsibilities and authority described? | | | |
| | F. | Does Senior Management conduct management reviews on a scheduled basis? Monthly and quarterly reviews are performed. | | | |
| | G. | Does Mill-Max have written procedures and records for management review? <i>Records are available on site.</i> | | | |
| 4.2 | QUAL | ITY SYSTEM | YES | NO | N/A |
| | A. | Does Mill-Max have a Quality Manual and procedures or instructions for all applicable requirements? QA Manual and Operating Procedures established for all responsibilities. | | | |
| | B. | Does Mill-Max have Quality records showing effective implementation? | | | |
| | C. | Does Mill-Max have a system for document control? | \boxtimes | | |
| | D. | Does Mill-Max have a procedure for Quality Planning and/or Quality Plans? | | | |
| | E. | Does Mill-Max have Quality Plans and records of Quality Planning activities? Control Plans and PFMEA developed for critical processes. Records are available on site. | | | |



| 4.3 | CONT | RACT REVIEW | YES | <u>NO</u> | <u>N/A</u> |
|-----|-------|---|-------------|-----------|------------|
| | A. | Does Mill-Max have procedures defining the process and responsibilities for contract review? | | | |
| | В. | Does Mill-Max identify how a change to a contract is made and communicate the change to the functions concerned within the organization? | | | |
| | C. | Does Mill-Max maintain records of Purchase Order review? Purchase Order or "Contract" review records and other documents are available on site. | | | |
| 4.4 | DESIG | SN CONTROL | YES | NO | N/A |
| | A. | Does a procedure exist which defines the design control process and responsibilities? | | | |
| | B. | Is the plan for each design and development activity described? The plans shall define responsibility for their implementation. | | | |
| | C. | Are the Organizational and Technical interfaces defined and their responsibilities described? | | | |
| | D. | Are design inputs and design outputs defined? | \boxtimes | | |
| | E. | Does Mill-Max have design review records? Design review meetings are held weekly, minutes available on site for customer review. | | | |
| | F. | Do procedures identify design verification, validation and design change control? | | | |
| | G. | Are design changes identified, documented, reviewed and approved prior to implementation? | | | |
| | H. | Are there records of design changes with their approvals? Final approval required by customers on custom products via approved proposal drawing. | \boxtimes | | |



| 4.5 | DOCL | IMENT AND DATA CONTROL | YES | NO | N/A |
|-----|------|--|-------------|----|-----|
| | A. | Is the document control system described in a procedure? | | | |
| | B. | Are correct revision level documents available at the required locations?. | | | |
| | C. | Are documents properly approved? | \boxtimes | | |
| | D. | Were changes reviewed and approved by the department that performed the original review? | | | |
| | E. | Are the nature of changes evident in the document description or attachments? Mill-Max Document Control procedures and configuration management are the responsibility of Technical Services and Quality Assurance. | | | |
| 4.6 | PURC | HASING | YES | NO | N/A |
| | A. | Is there a procedure for approving new suppliers? | \boxtimes | | |
| | В. | Does Mill-Max maintain an approved supplier list or equivalent? | \boxtimes | | |
| | C. | Do purchase documents contain enough information to clearly identify the product ordered? | | | |
| | D. | Are the purchasing documents reviewed and approved prior to release? | | | |
| | E. | Do procedures and purchase documents allow for customer verification as required? | | | |
| 4.7 | CONT | ROL OF CUSTOMER SUPPLIED PRODUCT | YES | NO | N/A |
| | A. | Is the control of customer-supplied product defined? | | | |
| | B. | Does Mill-Max have adequate storage facilities? | | | |
| | C. | Do records indicate nonconforming customer-owned or supplied product and evidence of customer notification? | | | |



| 4.8 | PROD | UCT IDENTIFICATION AND TRACEABILITY | YES | NO | N/A |
|-----|------|---|-------------|----|-----|
| | A. | Do procedures/instructions define methods of identification and traceability? | | | |
| | | All products are identified with lot codes. | | | |
| | B. | Is the product identified throughout the production process. Product Travellers, discrete part number labeling, including barcoding is used throughout the process. | | | |
| | C. | Have individual products or batches been uniquely identified? Lot traceability is provided from the final assembly back to the raw material stage. | | | |
| 4.9 | PROC | ESS CONTROLS | YES | NO | N/A |
| | A. | Does Mill-Max have procedures and instructions ensuring that all processes are controlled? | | | |
| | В. | Does Mill-Max have objective evidence that the production process is planned to ensure that it is run under controlled conditions (i.e., work instructions, approved equipment, trained personnel, workmanship standards, process parameters, and maintenance program)? | | | |
| | C. | Does Mill-Max have procedures/instructions for special processes? Special Processes at Mill-Max include Heat Treating. | | | |
| | D. | Are the special processes monitored on a continuous basis? | \boxtimes | | |
| | E. | Are records kept demonstrating the qualification of special processes, operations, personnel, and equipment? | \boxtimes | | |



| 4.10 | INSPE | CTION AND TESTING | YES | NO | N/A |
|------|-------|---|-------------|----|-------------|
| | A. | Does Mill-Max have written procedures/instructions for: (Please check applicable boxes). ☑ Receiving Inspection ☑ In-Process Inspection and Test ☑ Final Inspection | | | |
| | B. | Are Quality Control Plans used and do they describe inspection and test plan with acceptance criteria? | \boxtimes | | |
| | C. | Is incoming material properly identified and controlled until inspection acceptance is indicated? | | | |
| | D. | Does Mill-Max determine the amount and nature of receiving inspection, based on considerations due to the amount of control exercised at the subcontractor's premises and the evidence provided? | | | |
| | E. | Do procedures include records of identification for product released for urgent production use i.e., provisional release? There is no necessity in our operations for a provisional release process. | | | |
| | F. | Is a "positive recall system" in place which is documented? | \boxtimes | | |
| | G. | Are nonconforming materials identified and controlled for rejected product? | | | |
| | H. | Has product conformance been established by means of process monitoring and control methods? | | | |
| | I. | Does final inspection assure that all subsequent inspections and test have been performed and product meets specified requirements? | | | |
| | J. | Are records maintained and available for all inspection and test operations? Inspection records are available for review on site. | | | |
| 4.11 | CONT | ROL OF INSPECTION, MEASURING, AND TEST EQUIPMENT | YES | NO | N/A |
| | A. | Does Mill-Max maintain procedures and instructions for calibration measurement and test equipment? Mill-Max maintains a calibration system in accordance with MIL-STD-45662A. | | | |
| | B. | Is test software checked and validated? | | | \boxtimes |
| | C. | Is the calibration status of the equipment identified? | \boxtimes | | |
| | D. | Are calibration records up to date? | \boxtimes | | |
| | | 8 | | | |



| 4.12 | INSPE | CTION AND TEST STATUS | YES | NO | N/A |
|------|-------|---|-------------|----|-----|
| | A. | Do procedures describe what methods are to be used to identify the inspection/test status of product? | | | |
| | B. | Is the inspection status maintained throughout the production process? | | | |
| 4.13 | CONT | ROL OF NONCONFORMING PRODUCT | YES | NO | N/A |
| | A. | Does Mill-Max maintain procedures for nonconforming product? | \boxtimes | | |
| | B. | Does the nonconformance system provide for the identification, documentation, evaluation, segregation, disposition of nonconforming product and notification to the affected functions? | | | |
| | C. | Does the nonconformance system prevent product that does not meet specification from being used inadvertently? | | | |
| | D. | Is the review and disposition of nonconforming product being performed? | | | |
| | E. | Do records show identification, evaluation, and disposition by authorized personnel with proper identification and reinspection of rework/repaired product? Mill-Max has a MRB (Material Review Board) procedure established for all critical processes. | | | |
| 4.14 | CORR | ECTIVE ACTIONS | YES | NO | N/A |
| | A. | Does Mill-Max maintain instructions for corrective actions? | \boxtimes | | |
| | В. | Do records show investigation in the root cause of non-conformances? | \boxtimes | | |
| | C. | Do records show that changes and/or controls have been introduced to overcome root cause and prevent recurrence? | \boxtimes | | |
| | D. | Do records show evaluation and effectiveness of corrective actions? | \boxtimes | | |
| | E. | Are sources of information and process for use detailed to ensure that preventive action measures are effective? | | | |
| | F. | Do records show evidence of management review of corrective actions? Customer complaints including Corrective Actions are reviewed monthly by the President, Vice Presidents, and Quality Assurance Director. | | | |



| 4.15 | HAND | LING, STORAGE, PACKAGING, PRESERVATION, AND DELIVERY | YES | NO | N/A |
|------|-------|---|-------------|----|-----|
| | A. | Does Mill-Max maintain procedures for handling, storage, packaging, preservation, and delivery of product? | | | |
| | B. | Do the means and methods exist to prevent damage and deterioration of the product? | | | |
| | C. | Does Mill-Max use designated storage areas with controlled access? | \boxtimes | | |
| | D. | Are periodic stock assessments performed? | | | |
| | E. | Does Mill-Max control packaging and marking to ensure conformance to specified requirements? | | | |
| | F. | Are ESD packaging and controls used when specified or required? | | | |
| | G. | Does Mill-Max protect the quality of the product after final inspection and test? | | | |
| 4.16 | CONT | ROL OF QUALITY RECORDS | YES | NO | N/A |
| | A. | Does Mill-Max maintain procedures/instructions for control of Quality records including, pertinent subcontractor records? Records are maintained for a period of 6 mo – 7 years. | | | |
| 4.17 | INTER | RNAL QUALITY AUDITS | YES | NO | N/A |
| | A. | Does Mill-Max maintain a procedure for internal audits? | | | |
| | B. | Does Mill-Max have a controlled audit schedule? | | | |
| | C. | Do records show that an audit was performed by personnel independent of any direct responsibility for the activity being audited? | | | |
| | D. | Does Mill-Max maintain records of audit reports, corrective actions taken, and effectiveness of those actions? Audit reports, corrective actions and other records are available for review on site. | | | |



| 4.18 | TRAINING | | | NO | N/A |
|------|----------|--|-------------|----|-------------|
| | A. | Does Mill-Max maintain procedures for training or all personnel that may affect quality? | \boxtimes | | |
| | B. | Are personnel qualified on the basis of their education, training, and/or experience? | | | |
| | C. | Are records of training being kept? Training plans and records are established for all personnel and critical processes. | | | |
| 4.19 | SERVI | CING | YES | NO | N/A |
| | A. | Does Mill-Max maintain procedures for performance, verification, and reporting of servicing activities? | | | \boxtimes |
| | B. | Are records of servicing and verification results maintained? Service is not required for the products Mill-Max manufactures. | | | |
| 4.20 | STATI | STICAL TECHNIQUES | YES | NO | N/A |
| | A. | Do procedures for identification, implementation, and control of statistical techniques exist? | \boxtimes | | |
| | B. | Are the statistical techniques being monitored to ensure that process capability and product criteria are being met? | | | |
| | C. | Do statistical records show effective implementation and controls per procedure (i.e., sampling, control limits, etc.)? | | | |
| | | | | | |

This is to certify that the information provided in this survey is accurate and was prepared in conjunction with Mill-Max's Quality Assurance Manual, Procedures and Inspection Records. Please contact the undersigned if you have any questions regarding this information.

Christopher Galasso
Director of Quality Assurance
Mill-Max Mfg.Corp.
cgalasso@mill-max.com